

ACCEPTED
VIA NOTIFICATION
LABEL NOT REVIEWED



March 9, 2016

Demand® New York State Department

of Environmental Conservation

Low Foaming Anionic Acid Sanitizer

Division of Materials Management

For Institutional and Dairy Farm Use

Pesticide Product Registration

ACTIVE INGREDIENT:	
Phosphoric acid.....	59.8%
OTHER INGREDIENTS:	40.2%
TOTAL	100.0%

**KEEP OUT OF REACH
OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on side panel.

Net Contents:

3.78 L / 1 U.S. Gal.

Product No:

57534004

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse. Do not apply this product in a way that will contact workers or other persons directly.

PHYSICAL AND CHEMICAL HAZARDS

ACIDIC PRODUCT - Do not mix with other cleaners or chemicals as hazardous gasses or heat may be generated. Dilute only with water.

EPA Registration No. 875-100

EPA Establishment No.

3635-OH-1 [SV]; 10508-PA-1 [SB]; 875-WI-1 [EC]; 13938-CAN-1 [LD];

0312-WI-3 [NW]; 7546-WI-1 [WT]

Lot Code letters indicate establishment number.

Demand is recommended for use on pre-cleaned food contact surfaces such as food process equipment, pipelines, tanks, vats, fillers, evaporators and pasteurizers in dairies, breweries, beverage and other food processing facilities. This product is an effective sanitizer when the sanitizing solution is prepared in water up to 500 ppm hardness calculated as CaCO₃.



SKU #:

57534004

LOT #:

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing Food Contact Surfaces:

1. Remove gross food particles by flushing with water or scraping.
2. Wash with a detergent solution.
3. Rinse with potable water.
4. Sanitize with a concentration of 1 fluid ounce of Demand per 4 gallons of water (1:512) by immersion, coarse spray or circulation.
5. Allow sanitizer solution to contact surfaces for at least 1 minute.
6. Drain thoroughly. Do not rinse.

Circulation Sanitizing (CIP)

Remove gross food particles by flushing with water, then wash with a detergent solution. Prepare a sufficient volume of sanitizing solution by diluting 1 fluid ounce of Demand per 4 gallons of water (1:512) to fill the system. Pump sanitizer through the equipment, valves and lines to obtain full return flow that is free of air. Circulate to insure that all surfaces are wet for at least 1 minute. Drain and/or air blow system to remove sanitizer.

Prepare fresh sanitizer solution daily. If solution becomes visibly soiled or falls below strength when tested with a Demand Test Kit, discard and prepare additional sanitizer. Sprayed or circulated sanitizer solutions may not be reused for sanitizing.



Demand is recommended for use on pre-cleaned food contact surfaces such as food process equipment, pipelines, tanks, vats, fillers, evaporators and pasteurizers in dairies, breweries, beverage and other food processing facilities. This product in an effective sanitizer when the sanitizing solution is prepared in water up to 500 ppm hardness calculated as CaCO₃.

DOC ID: 544644

Sealed Air
Food Care

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing Food Contact Surfaces:

1. Remove gross food particles by flushing with water or scraping.
2. Wash with a detergent solution.
3. Rinse with potable water.
4. Sanitize with a concentration of 1 fluid ounce of Demand per 4 gallons of water (1:512) by immersion, coarse spray or circulation.
5. Allow sanitizer solution to contact surfaces for at least 1 minute.
6. Drain thoroughly. Do not rinse.

Circulation Sanitizing (CIP)

Remove gross food particles by flushing with water, then wash with a detergent solution. Prepare a sufficient volume of sanitizing solution by diluting 1 fluid ounce of Demand per 4 gallons of water (1:512) to fill the system. Pump sanitizer through the equipment, valves and lines to obtain full return flow that is free of air. Circulate to insure that all surfaces are wet for at least 1 minute. Drain and/or air blow system to remove sanitizer.

Prepare fresh sanitizer solution daily. If solution becomes visibly soiled or falls below strength when tested with a Demand Test Kit, discard and prepare additional sanitizer. Sprayed or circulated sanitizer solutions may not be reused for sanitizing.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for at least 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer container for reconditioning, if appropriate.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Demand[®]

ACCEPTED
VIA NOTIFICATION
LABEL NOT REVIEWED

Diversey^{™/SMC}

March 9, 2016

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

Low Foaming Anionic Acid Sanitizer



For Institutional and Dairy Farm Use

ACTIVE INGREDIENTS:

Phosphoric acid 59.8%

OTHER INGREDIENTS: 40.2%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR
DOCTOR FOR TREATMENT ADVICE.**

1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on side panel.

Net Contents:

208 L / 55 U.S. Gal.

Product No.:


57534010

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse. Do not apply this product in a way that will contact workers or other persons directly.

PHYSICAL AND CHEMICAL HAZARDS

ACIDIC PRODUCT – Do not mix with other cleaners or chemicals as hazardous gasses or heat may be generated. Dilute only with water.



EPA Registration No. 875-100
EPA Establishment No.
3635-OH-1 [SV]; 10508-PA-1 [SB]; 875-CA-4 [MD];
875-WI-1 [EC]; 13938-CAN-1 [LD]; 0312-WI-3 [NW];
7546-WI-1 [WT]
Lot Code letters indicate establishment number.
MSDS # MS0800673

**PHOSPHORIC ACID,
SOLUTION, 8, III**

UN1805



SKU# 57534010

LOT #:

6035722 (15/239)

ACCEPTED
VIA NOTIFICATION
LABEL NOT REVIEWED

Demand[®]

March 9, 2016

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

Low Foaming Anionic Acid Sanitizer



For Institutional and Dairy Farm Use

ACTIVE INGREDIENTS:

Phosphoric acid 59.8%

OTHER INGREDIENTS: 40.2%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR
DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on side panel.

Demand is recommended for use on pre-cleaned food contact surfaces such as food process equipment, pipelines, tanks, vats, fillers, evaporators and pasteurizers in dairies, breweries, beverage and other food processing facilities. This product in an effective sanitizer when the sanitizing solution is prepared in water up to 500 ppm hardness calculated as CaCO₃.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing Food Contact Surfaces:

1. Remove gross food particles by flushing with water or scraping.
2. Wash with a detergent solution.
3. Rinse with potable water.
4. Sanitize with a concentration of 1 fluid ounce of Demand per 4 gallons of water (1:512) by immersion, coarse spray or circulation.
5. Allow sanitizer solution to contact surfaces for at least 1 minute.
6. Drain thoroughly. Do not rinse.

Circulation Sanitizing (CIP)

Remove gross food particles by flushing with water, then wash with a detergent solution. Prepare a sufficient volume of sanitizing solution by diluting 1 fluid ounce of Demand per 4 gallons of water (1:512) to fill the system. Pump sanitizer through the equipment, valves and lines to obtain full return flow that is free of air. Circulate to insure that all surfaces are wet for at least 1 minute. Drain and/or air blow system to remove sanitizer.

Prepare fresh sanitizer solution daily. If solution becomes visibly soiled or falls below strength when tested with a Demand Test Kit, discard and prepare additional sanitizer. Sprayed or circulated sanitizer solutions may not be reused for sanitizing.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for at least 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer container for reconditioning, if appropriate.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Net Contents:

56.8 L / 15 U.S. Gal.


Product No.:

57534100

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse. Do not apply this product in a way that will contact workers or other persons directly.

PHYSICAL AND CHEMICAL HAZARDS
ACIDIC PRODUCT – Do not mix with other cleaners or chemicals as hazardous gasses or heat may be generated. Dilute only with water.



EPA Registration No. 875-100
EPA Establishment No.
3635-OH-1 [SV]; 10508-PA-1 [SB]; 875-CA-4 [MD];
875-WI-1 [EC]; 13938-CAN-1 [LD]; 0312-WI-3 [NW];
7546-WI-1 [WT]

Lot Code letters indicate establishment number.

MSDS # MS0800673

**PHOSPHORIC ACID,
SOLUTION, 8, III**

UN1805



SKU#

57534100



LOT #:

6035757 (15/239)