

ACCEPTED
FOR REGISTRATION

5/19/2015

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

Treats up to 1000 sq ft per Pound

InTice¹⁰ perimeter bait



**Kills Roaches, Crickets, Mole Crickets, Sowbugs, Pillbugs, Earwigs,
Silverfish, Millipedes, Snails, Slugs and Ants***

*Except Pharaoh ants, Fire ants, Harvester ants

DOC ID 542242.

For Indoor, Outdoor, & Turf Uses • Mold & Moisture Resistant • Ready-to-Use Bait

Active Ingredient: Orthoboric Acid10%
Other Ingredients:.....90%
Total:.....100%

EPA Reg. No.: 73079-6
EPA Est. No.: 73079-MO-1
Net Contents: 40 lbs

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. In the State of California: Personal Protective Equipment (PPE) Applicators and handlers must wear: shoes plus socks.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call 800 858 7378.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

See opposite panel for
DIRECTIONS FOR USE

Manufactured By:



1257 Bedford Ave, North Kansas City, MO 64116
www.rockwelllabs.com



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions: In food areas of restaurants, residential, health care, educational, daycare, agricultural buildings, animal rearing and handling establishments, food handling and food processing establishments, this product may only be applied as a crack and crevice treatment. Any product remaining outside of cracks and crevices must be cleaned up and removed.

Use Sites: In and around residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, home greenhouses, landscape beds, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments. Turf sites include lawns, ornamental turf, parks, playing fields, right-of-ways, and golf courses.

Outdoor Application

Apply bait at a rate of 1 lb (about 3 cups) per 1000 square feet. Apply in a band from two up to four feet wide around the perimeter of buildings. Also apply around exterior light fixtures and along the edges of sidewalks, patios and driveways and under decks. Apply bait early in the season in areas likely to be infested, such as mulch beds, flowerbeds, fruit and vegetable gardens, compost heaps, wood piles, and around trees, stumps and trash areas. The bait may also be sprinkled in and around rodent bait stations to control insects that harbor in these stations. When treating for ants, apply ½ to 1 oz of bait around ant mounds and sprinkle along foraging trails. For ants, pay particular attention to harborage areas and apply bait around trees and stumps, in tree cavities, in and around firewood piles, around landscaping stones and in mulch beds. Bait may also be applied in insect bait stations. Reapply bait after one week if infestation is still present. In home greenhouses, apply bait at a rate of 3 oz (2/3 cups) per 100 sq ft on and under benches. Do not apply bait directly in flats or pots. Reapply as needed.

For Carpenter Ants: Evenly apply bait at a rate of 14 oz by weight (3 cups) per 100 sq ft. Apply in a band not to exceed one foot in width around trees and stumps, firewood piles, structure foundations and other potential nest sites. The bait may also be applied in tree cavities and firewood piles, and under porches and decks. Do not apply more than 2 lbs per 1000 sq ft of total site area, or 90 lbs per acre.

Sewer Application: Apply bait along ledges inside sewers and around manhole covers.

Indoor Application

Apply bait only in areas inaccessible to children and pets, or in tamper-resistant bait stations. Apply bait at a rate of 3 oz (2/3 cup) per 100 square feet. Using a hand shaker or duster,

apply bait in attics, crawl spaces, trash closets, utility closets, dropped ceilings, on dirt or gravel cellar floors, under and behind appliances and vending machines, in wall voids and voids under and behind cabinets, sinks and tubs, in drawer wells, garbage chutes, pipe chases, elevator pits, around drains, around electrical conduits and in cracks and crevices where insects may harbor. For crack and crevice treatments, use a duster and apply 1 to 3 puffs per linear foot based on level of infestation. Focus application in areas where insects or their signs are seen. Reapply bait after one week if infestation is still present. A power duster may be used to apply bait in appropriate areas, such as attics and crawlspaces. The duster manufacturer's recommendations for settings should be followed.

Application tips for certain sites follow:

1. In attics, be sure to get bait near the eaves and vent pipes where insects often first enter, as well as around any pipes or potential access points between the attic and the main structure. Attics should have proper ventilation to insure that no food odor from the bait seeps into the living area, particularly in hot weather. If in doubt, apply the product in a manner such that it can be easily removed.
2. When treating cabinetry areas, if there is no gap between the lower cabinets and the kickplate, then small holes can be drilled to access the voids. Escutcheon plates around pipes can also be pulled back to allow access to voids.
3. The bottom drawers in kitchen and bathroom cabinets can be removed and bait dusted into drawer wells. Do not leave any bait exposed when drawers are replaced.
4. Electrical switch plate covers can be removed to allow access to voids, but bait must not be applied directly in electrical boxes.
5. If there are cracks between baseboards, cabinets, doorframes, hinges, counters or trim, and walls, these cracks can be lightly dusted with bait. If practical, these areas can be sealed once insect problems have been eliminated, to help prevent future problems.
6. Insects need moisture, so kitchen and bath areas and areas immediately surrounding them, and any other damp areas should be carefully inspected and treated if necessary. As a separate matter from the use of this product, it is advisable to fix any leaks to minimize structural damage and odors, and to prevent potential chronic insect problems. To help prevent insect problems from developing in homes and buildings, a preventative program is recommended. Once per quarter, apply bait in a band around the outside building perimeter. Once per year, apply bait in attics and crawlspaces. Follow Indoor/Outdoor Application Directions above.

Food Processing and Handling Establishment Application, including Federally-Inspected Meat and Poultry Plants: Follow instructions for other sites as appropriate. In food areas, only apply bait in cracks, crevices, and other inaccessible areas. Do not contaminate food and feedstuffs. Never apply bait directly to a surface where food

is stored, prepared or served. Any bait that is left visible after treatment must be swept into cracks and crevices or removed.

Turf Application

Apply bait evenly over the affected area at a rate of 1 lb per 1000 sq ft or 45 lbs per acre. Do not water the bait in. For mole cricket treatments, results will be best if the area is irrigated prior to bait treatment. Mole crickets typically come to the surface to feed in the evening.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access.

Pesticide Disposal and Container Handling: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

Conditions of Warranty and Limitations of Liability

IMPORTANT: READ BEFORE USE Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Manufacturer. All such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Manufacturer makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Manufacturer disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Manufacturer's election, the replacement of product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions: In food areas of restaurants, residential, health care, educational, daycare, agricultural buildings, animal rearing and handling establishments, food handling and food processing establishments, this product may only be applied as a crack and crevice treatment. Any product remaining outside of cracks and crevices must be cleaned up and removed.

Use Sites: In and around residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, home greenhouses, landscape beds, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments. Turf sites include lawns, ornamental turf, parks, playing fields, right-of-ways, and golf courses.

Outdoor Application

Apply bait at a rate of 1 lb (about 3 cups) per 1000 square feet. Apply in a band from two up to four feet wide around the perimeter of buildings. Also apply around exterior light fixtures and along the edges of sidewalks, patios and driveways and under decks. Apply bait early in the season in areas likely to be infested, such as mulch beds, flowerbeds, fruit and vegetable gardens, compost heaps, wood piles, and around trees, stumps and trash areas. The bait may also be sprinkled in and around rodent bait stations to control insects that harbor in these stations. When treating for ants, apply 1/2 oz of bait around ant mounds and sprinkle along foraging trails. For ants, pay particular attention to harborage areas and apply bait around trees and stumps, in tree cavities, in and around firewood piles, around landscaping stones and in mulch beds. Bait may also be applied in insect bait stations. Reapply bait after one week if infestation is still present. In home greenhouses, apply bait at a rate of 3 oz (2/3 cups) per 100 sq ft on and under benches. Do not apply bait directly in flats or pots. Reapply as needed.

For Carpenter Ants: Evenly apply bait at a rate of 14 oz by weight (3 cups) per 100 sq ft. Apply in a band not to exceed one foot in width around trees and stumps, firewood piles, structure foundations and other potential nest sites. The bait may also be applied in tree cavities and firewood piles, and under porches and decks. Do not apply more than 2 lbs per 1000 sq ft of total site area, or 90 lbs per acre.

Sewer Application: Apply bait along ledges inside sewers and around manhole covers.

Indoor Application

Apply bait only in areas inaccessible to children and pets, or in tamper-resistant bait stations. Apply bait at a rate of 3 oz (2/3 cup) per 100 square feet. Using a hand shaker or duster, apply bait in attics, crawl spaces, trash closets, utility closets, dropped ceilings, on dirt or gravel cellar floors, under and behind appliances and vending machines, in wall voids and voids under and behind cabinets, sinks and tubs, in drawer wells, garbage chutes, pipe chases, elevator pits, around drains, around electrical conduits and in cracks and crevices where insects may harbor. For crack and crevice treatments, use a duster and apply 1 to 3 puffs per linear foot based on level of infestation. Focus application in areas where insects or their signs are seen. Reapply bait after one week if infestation is still present. A power duster may be used to apply bait in appropriate areas, such as attics and crawlspaces. The duster manufacturer's recommendations for settings should be followed.

Application tips for certain sites follow:

1. In attics, be sure to get bait near the eaves and vent pipes where insects often first enter, as well as around any pipes or potential access points between the attic and the main structure. Attics should have proper ventilation to insure that no food odor from the bait seeps into the living area, particularly in hot weather. If in doubt, apply the product in a manner such that it can be easily removed.
2. When treating cabinetry areas, if there is no gap between the lower cabinets and the kickplate, then small holes can be drilled to access the voids. Escutcheon plates around pipes can also be pulled back to allow access to voids.
3. The bottom drawers in kitchen and bathroom cabinets can be removed and bait dusted into drawer wells. Do not leave any bait exposed when drawers are replaced.

Treats up to 1000 Sq Ft per Pound

InTice¹⁰

perimeter bait

Kills Roaches, Crickets, Mole Crickets, Sowbugs, Pillbugs, Earwigs, Silverfish, Millipedes, Snails, Slugs and Ants*

*Except Pharaoh ants, Fire ants, Harvester ants

For Indoor, Outdoor, & Turf Uses
Mold & Moisture Resistant • Ready-to-Use Bait



Active Ingredient: Orthoboric Acid10%
Other Ingredients:.....90%
Total:.....100%
EPA Reg. No.: 73079-6 • EPA Est. No.: 73079-MO-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. In the State of California: Personal Protective Equipment (PPE) Applicators and handlers must wear: shoes plus socks.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call 800 858 7378.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

Manufactured By:
 **Rockwell Labs Ltd**
creating the future of pest control
1257 Bedford Ave, North Kansas City, MO 64116
www.rockwelllabs.com

4. Electrical switch plate covers can be removed to allow access to voids, but bait must not be applied directly in electrical boxes.

5. If there are cracks between baseboards, cabinets, doorframes, hinges, counters or trim, and walls, these cracks can be lightly dusted with bait. If practical, these areas can be sealed once insect problems have been eliminated, to help prevent future problems.

6. Insects need moisture, so kitchen and bath areas and areas immediately surrounding them, and any other damp areas should be carefully inspected and treated if necessary. As a separate matter from the use of this product, it is advisable to fix any leaks to minimize structural damage and odors, and to prevent potential chronic insect problems.

To help prevent insect problems from developing in homes and buildings, a preventative program is recommended. Once per quarter, apply bait in a band around the outside building perimeter. Once per year, apply bait in attics and crawlspaces. Follow Indoor/Outdoor Application Directions above.

Food Processing and Handling Establishment Application, including Federally-Inspected Meat and Poultry Plants:

Follow instructions for other sites as appropriate. In food areas, only apply bait in cracks, crevices, and other inaccessible areas. Do not contaminate food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be swept into cracks and crevices or removed.

Turf Application

Apply bait evenly over the affected area at a rate of 1 lb per 1000 sq ft or 45 lbs per acre. Do not water the bait in. For mole cricket treatments, results will be best if the area is irrigated prior to bait treatment. Mole crickets typically come to the surface to feed in the evening.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. This storage/application container may be refilled by the end-user of the product. Refill only with InTice 10 Perimeter Bait.

Pesticide Disposal and Container Handling: If empty: Do not reuse this container for any other purpose. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

Conditions of Warranty and Limitations of Liability

IMPORTANT: READ BEFORE USE Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Manufacturer. All such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Manufacturer makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Manufacturer disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Manufacturer's election, the replacement of product.

InTice, Perimeter Bait, Green Zone, and Creating the Future of Pest Control are trademarks of Rockwell Labs Ltd.
©2015 Rockwell Labs Ltd.
Green Zone is not a third party certification.
04/2015



Treats up to 1000 Sq Ft per Pound

InTice¹⁰TM

perimeter bait



Kills Roaches,
Crickets, Mole Crickets,
Sowbugs, Pillbugs, Earwigs,
Silverfish, Millipedes, Snails, Slugs, & Ants*

*Except Pharaoh Ants, Fire Ants, Harvester Ants

For Indoor, Outdoor, & Turf Uses

Mold & Moisture Resistant • Ready-to-Use Bait

Active Ingredient: Orthoboric Acid10%

Other Ingredients:.....90%

Total:.....100%

EPA Reg. No.: 73079-6 • EPA Est. No.: 73079-MO-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

Manufactured By:

Net Contents:

 **Rockwell Labs Ltd**
creating the future of pest control



1.2 lbs



4 lbs

1257 Bedford Ave, North Kansas City, MO 64116

www.rockwelllabs.com



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. In the State of California: Personal Protective Equipment (PPE) Applicators and handlers must wear: shoes plus socks.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call 800 858 7378.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions: In food areas of restaurants, residential, health care, educational, daycare, agricultural buildings, animal rearing and handling establishments, food handling and food processing establishments, this product may only be applied as a crack and crevice treatment. Any product remaining outside of cracks and crevices must be cleaned up and removed.

Use Sites: In and around residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, home greenhouses, landscape beds, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments. Turf sites include lawns, ornamental turf, parks, playing fields, right-of-ways, and golf courses.

Outdoor Application

Apply bait at a rate of 1 lb (about 3 cups) per 1000 square feet. Apply in a band from two up to four feet wide around the perimeter of buildings. Also

apply around exterior light fixtures and along the edges of sidewalks, patios and driveways and under decks. Apply bait early in the season in areas likely to be infested, such as mulch beds, flowerbeds, fruit and vegetable gardens, compost heaps, wood piles, and around trees, stumps and trash areas. The bait may also be sprinkled in and around rodent bait stations to control insects that harbor in these stations. When treating for ants, apply 1/2 to 1 oz of bait around ant mounds and sprinkle along foraging trails. For ants, pay particular attention to harborage areas and apply bait around trees and stumps, in tree cavities, in and around firewood piles, around landscaping stones and in mulch beds. Bait may also be applied in insect bait stations. Reapply bait after one week if infestation is still present. In home greenhouses, apply bait at a rate of 3 oz (2/3 cups) per 100 sq ft on and under benches. Do not apply bait directly in flats or pots. Reapply as needed.

For Carpenter Ants: Evenly apply bait at a rate of 14 oz by weight (3 cups) per 100 sq ft. Apply in a band not to exceed one foot in width around trees and stumps, firewood piles, structure foundations and other potential nest sites. The bait may also be applied in tree cavities and firewood piles, and under porches and decks. Do not apply more than 2 lbs per 1000 sq ft of total site area, or 90 lbs per acre.

Sewer Application: Apply bait along ledges inside sewers and around manhole covers.

Indoor Application

Apply bait only in areas inaccessible to children and pets, or in tamper-resistant bait stations. Apply bait at a rate of 3 oz (2/3 cup) per 100 square feet. Using a hand shaker or duster, apply bait in attics, crawl spaces, trash closets, utility closets, dropped ceilings, on dirt or gravel cellar floors, under and behind appliances and vending machines, in wall voids and voids under and behind cabinets, sinks and tubs, in drawer wells, garbage chutes, pipe chases, elevator pits, around drains, around electrical conduits and in cracks and crevices where insects may harbor. For crack and crevice treatments, use a duster and apply 1 to 3 puffs per linear foot based on level of infestation. Focus application in areas where insects or their signs are seen. Reapply bait after one week if infestation is still present. A power duster may be used to apply bait in appropriate areas, such as attics and crawlspaces. The duster manufacturer's recommendations for settings should be followed.

Application tips for certain sites follow:

1. In attics, be sure to get bait near the eaves and vent pipes where insects often first enter, as well as around any pipes or potential access points between the attic and the main structure. Attics should have proper

ventilation to insure that no food odor from the bait seeps into the living area, particularly in hot weather. If in doubt, apply the product in a manner such that it can be easily removed.

2. When treating cabinetry areas, if there is no gap between the lower cabinets and the kickplate, then small holes can be drilled to access the voids. Escutcheon plates around pipes can also be pulled back to allow access to voids.

3. The bottom drawers in kitchen and bathroom cabinets can be removed and bait dusted into drawer wells. Do not leave any bait exposed when drawers are replaced.

4. Electrical switch plate covers can be removed to allow access to voids, but bait must not be applied directly in electrical boxes.

5. If there are cracks between baseboards, cabinets, doorframes, hinges, counters or trim, and walls, these cracks can be lightly dusted with bait. If practical, these areas can be sealed once insect problems have been eliminated, to help prevent future problems.

6. Insects need moisture, so kitchen and bath areas and areas immediately surrounding them, and any other damp areas should be carefully inspected and treated if necessary. As a separate matter from the use of this product, it is advisable to fix any leaks to minimize structural damage and odors, and to prevent potential chronic insect problems.

To help prevent insect problems from developing in homes and buildings, a preventative program is recommended. Once per quarter, apply bait in a band around the outside building perimeter. Once per year, apply bait in attics and crawlspaces. Follow Indoor/Outdoor Application Directions above.

Food Processing and Handling Establishment Application, including

Federally-Inspected Meat and Poultry Plants: Follow instructions for other sites as appropriate. In food areas, only apply bait in cracks, crevices, and other inaccessible areas. Do not contaminate food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served.

Any bait that is left visible after treatment must be swept into cracks and crevices or removed.

Turf Application

Apply bait evenly over the affected area at a rate of 1 lb per 1000 sq ft or 45 lbs per acre. Do not water the bait in. For mole cricket treatments, results will be best if the area is irrigated prior to bait treatment. Mole crickets typically come to the surface to feed in the evening.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access.

This storage/application container may be refilled by the end-user of the product. Refill only with InTice 10 Perimeter Bait.

Pesticide Disposal and Container Handling: If empty: Do not reuse this container for any other purpose. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

Conditions of Warranty and Limitations of Liability

IMPORTANT: READ BEFORE USE Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:**

The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Manufacturer. All such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Manufacturer makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Manufacturer disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Manufacturer's election, the replacement of product.

InTice, Perimeter Bait, Green Zone, and Creating the Future of Pest Control are trademarks of Rockwell Labs Ltd.

©2015 Rockwell Labs Ltd. Green Zone is not a third party certification. 04/15

Treats up to 1000 Sq Ft per Pound

InTice¹⁰TM

perimeter bait



**Kills Roaches,
Crickets, Mole Crickets,
Sowbugs, Pillbugs, Earwigs,
Silverfish, Millipedes, Snails, Slugs, & Ants***

*Except Pharaoh Ants, Fire Ants, Harvester Ants

For Indoor, Outdoor, & Turf Uses

Mold & Moisture Resistant • Ready-to-Use Bait

Active Ingredient: Orthoboric Acid10%
Other Ingredients:.....90%
Total:.....100%

EPA Reg. No.: 73079-6 • EPA Est. No.: 73079-MO-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Manufactured By:

Net Contents:

Rockwell Labs Ltd.
creating the future of pest control

1.2 lbs

4 lbs

1257 Bedford Ave, North Kansas City, MO 64116

www.rockwelllabs.com

